

AVP 505

Volvo Penta
Mecc Alte
D+ &



ISO8528	GC,) &
SZUTEST	GC - \$\$\$%
CE	

2000/14/EC	&\$\$\$#(#
	z) \$ z' \$z 'D:

	"	kw	"	kw	Amp
400/230	505,00	404,00	455,00	364,00	656,75

	fP GDE	GC,) &			
	fDF DE	%\$1	% %&	GC" \$(*"	z&(GC

Standard Specifications

	z				
	fl	!	E		
	z				
	z				

1

ALTERNATOR

1

TRANSFER SWITCH

AVP 505

Volvo Penta
Mecc Alte
D+' &'




Manufacturer		Volvo Penta
Model		TAD1345GE
		%\$\$' "# "
		441,00 kw [600,00HP]
	L	12,780
	"	131X158
		18,1:1
	fl # 7	"# " 1500
	fl 7	L 36,00
		L 44,00
AbsorbedAirDischargeReSourceKey.Text	' # "	27,60
	' # "	402,00
		24 V d.c.
	Load	%\$\$i
	# "	
		101,70

		Mecc Alte
		ECO40 3S/4
	Hz	50
	"	500,00
7cg		0,80
		3
	fl 7	400/230
	A	721,00

		fl 7		fl 7	
	"	"	"	"	L
AVP 505					

D+' &'



AVP 505

Volvo Penta
Mecc Alte
D+ &



1

'8G9ž '+' &\$ž
) 5ž&&\$#&(\$

2

3

4

'8G9 '+' &\$ ž
&&\$ ž ž
" '8G9 '+' &\$ ž
'8G9 '+' &\$ ž
ž ž
% &I '* (ž
žFG&' &žFG(,) ž
ž

AVP 505

Volvo Penta
Mecc Alte
D+ &

